

# PRODUCT DATASHEET

## TR SP REFLECTOR V 30W 36DEG

TRACKLIGHT SPOT REFLECTOR | Exchangeable reflector



### Areas of application

- Suitable for TRACKLIGHT SPOT XR

### Product benefits

- Clear cover protects the reflector against dust and contact
- High optical efficacy
- Reflector easily replaceable thanks to bayonet catch and rubber suction pad

### Product features

- Accessory reflectors available in different beam angles (15°, 36°, 50°)




## TECHNICAL DATA

## Photometrical data

Beam angle	36 °
------------	------

## Dimensions &amp; Weight

Diameter	75 mm
Height	43 mm
Product weight	23.00 g



TR SP REFLECTOR V 30W

## Materials &amp; Colors

Product color	Silver
RAL Color (most similar)	RAL 9003
Body material	Polycarbonate (PC)

## Application &amp; Mounting

Replaceable light source	No
--------------------------	----


## Certificates &amp; Standards


Ball shot safe	No
----------------	----

## Additional product data

Product remark	Available from September 2025
----------------	-------------------------------

## DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	G11247140 TRACKLIGHT SPOT XR

Tender texts		Document name
	Tender documents	TRACKLIGHT SPOT REFLECTOR 30W 36DEG-en

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854616860	Folding box 1	82 mm x 82 mm x 54 mm	44.00 g	0.36 dm <sup>3</sup>
4099854616877	Shipping box 4	187 mm x 102 mm x 138 mm	275.00 g	2.63 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

– For Guarantee see [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.