

PRODUCT DATASHEET

LISOEV 1200x31 21 15W 940 S130

LINEAR INDIVIDUAL LIGHT SOURCES INDIRECT | Upgrade or replacement light source unit for indirect, diffuse light distribution



Areas of application

- Direct replacement for luminaires with fluorescent lamps
- Offices, education, public buildings

Product benefits

- Easy upgradeability of light source and driver (EVERLOOP design)
- Easy installation, no tools required for connection
- Homogenous light distribution and reduced glare ($UGR \leq 19$) thanks to IndiviLED® optics
- High performance with CRI90

Product features

- Indirect, diffuse light distribution
- Lifetime (L80/B10): 70,000 h (at 25 °C)
- Beam angle: 90°


TECHNICAL DATA

Electrical data


Nominal wattage	15.00 W
Nominal voltage	45 V
Nominal current	300.000 mA

Photometrical data

Luminous flux	2150 lm
Luminous efficacy	143 lm/W
Color temperature	4000 K
Light color (designation)	Cool White
Color rendering index Ra	≥90
Standard deviation of color matching	3 sdcn
Flickering metric (Pst LM)	≤1
Stroboscope effect metric (SVM)	≤0.4
Photobiological safety group acc. to EN62778	RG1
Beam angle	130 °
UGR	19



LISOEV 1200X31 21 15W 940 S130 LEDV 300mA




LISOEV 1200X31 21 15W 940 S130 LEDV 300mA

Dimensions & Weight

Length	1200.00 mm
--------	------------

Width	31.00 mm
Height	11.00 mm
Product weight	273.00 g
Cable length	100.000



1 2m INDIRECT LED MODULE

Materials & Colors

Product color	Grey
Housing color	Grey

Application & Mounting

Ambient temperature range	-20...+50 °C
Temperature range at storage	-20...+80 °C
Type of connection	Push-in clamp
Type of protection	IP20
Dimmable	No

Lifespan

Lifespan L70/B50 at 25 °C	100000 h
Lifespan L80/B10 at 25 °C	70000 h
Lifespan L80/B50 at 25 °C	70000 h
Lifespan L90/B10 at 25 °C	35000 h
Number of switching cycles	25000

Certificates & Standards

Standards	CE / CB / ENEC / TÜV SÜD / UKCA / EAC
-----------	---------------------------------------

Additional product data

Product remark	Available from September 2025
----------------	-------------------------------

Safety advice

– All electrical connections must be made by a qualified person.

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	User instruction G11244437
	Legal information	Informationstext 18 Abs 4 ElektroG
	Legal information	Safety Insert G11218810
	Legal information	Legal Insert G11244392
	Legal information	LSI insert G11244301
	Declarations of conformity	LN INV
	Declarations of conformity UKCA	LN INV
Photometric and lighting design files		Document name
	IES file (IES)	LISOEV 1200X31 21 15W 940 S130 LEDV 300mA
	LDT file (Eulumdat)	LISOEV 1200X31 21 15W 940 S130 LEDV 300mA
	Light distribution curve type cone	LISOEV 1200X31 21 15W 940 S130 LEDV 300mA
	Light distribution curve type polar	LISOEV 1200X31 21 15W 940 S130 LEDV 300mA
CAD/BIM files		Document name
	CAD STEP 3D	LN INDV INDIRECT G2 LISOEV 1200

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854284908	Folding box 1	36 mm x 1,207 mm x 17 mm	293.00 g	0.74 dm ³
4099854284915	Shipping box 10	1,219 mm x 184 mm x 49 mm	2963.00 g	10.99 dm ³
4099854284922	Shipping box 20	1,239 mm x 204 mm x 122 mm	6646.00 g	30.84 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

OBJECT			PROJECT			OBJECT			PROJECT			
EAN	LODEV		EAN	LODEV		EAN	LODEV		EAN	LODEV		
			40895410316	1	1000 P 408 300 PLS WT				40895407604	1	1000 P 408 300 PLS WT	
			40895440207	49	1000 P 408 300 PLS WT				40895407610	1000 P 408 300 PLS WT		
			40895407612	1	1000 P 408 300 CAL WT				40895407616	1000 P 408 300 CAL WT		
40895403430	USDEV 107430 48		40895400808	1	1000 P 408 300 CAL WT	40895400208	USDEV 107430 48		40895407622	1000 P 408 300 CAL WT		
	408 300 300 310		40895403166	49	1000 P 408 300 CAL WT			40895404673	USDEV 100020 20		40895400808	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404679	1000 P 408 300 CAL WT		40895400814	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404685	1000 P 408 300 CAL WT		40895400820	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404691	1000 P 408 300 CAL WT		40895400826	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404703	1000 P 408 300 CAL WT		40895400832	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404709	1000 P 408 300 CAL WT		40895400838	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404715	1000 P 408 300 CAL WT		40895400844	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404721	1000 P 408 300 CAL WT		40895400850	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404727	1000 P 408 300 CAL WT		40895400856	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404733	1000 P 408 300 CAL WT		40895400862	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404739	1000 P 408 300 CAL WT		40895400868	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404745	1000 P 408 300 CAL WT		40895400874	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404751	1000 P 408 300 CAL WT		40895400880	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404757	1000 P 408 300 CAL WT		40895400886	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404763	1000 P 408 300 CAL WT		40895400892	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404769	1000 P 408 300 CAL WT		40895400898	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404775	1000 P 408 300 CAL WT		40895400904	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404781	1000 P 408 300 CAL WT		40895400910	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404787	1000 P 408 300 CAL WT		40895400916	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404793	1000 P 408 300 CAL WT		40895400922	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404799	1000 P 408 300 CAL WT		40895400928	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404805	1000 P 408 300 CAL WT		40895400934	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404811	1000 P 408 300 CAL WT		40895400940	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404817	1000 P 408 300 CAL WT		40895400946	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404823	1000 P 408 300 CAL WT		40895400952	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404829	1000 P 408 300 CAL WT		40895400958	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404835	1000 P 408 300 CAL WT		40895400964	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404841	1000 P 408 300 CAL WT		40895400970	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404847	1000 P 408 300 CAL WT		40895400976	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404853	1000 P 408 300 CAL WT		40895400982	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404859	1000 P 408 300 CAL WT		40895400988	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404865	1000 P 408 300 CAL WT		40895400994	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404871	1000 P 408 300 CAL WT		40895400999	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404877	1000 P 408 300 CAL WT		40895401005	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404883	1000 P 408 300 CAL WT		40895401011	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404889	1000 P 408 300 CAL WT		40895401017	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404895	1000 P 408 300 CAL WT		40895401023	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404901	1000 P 408 300 CAL WT		40895401029	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404907	1000 P 408 300 CAL WT		40895401035	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404913	1000 P 408 300 CAL WT		40895401041	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404919	1000 P 408 300 CAL WT		40895401047	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404925	1000 P 408 300 CAL WT		40895401053	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404931	1000 P 408 300 CAL WT		40895401059	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404937	1000 P 408 300 CAL WT		40895401065	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404943	1000 P 408 300 CAL WT		40895401071	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404949	1000 P 408 300 CAL WT		40895401077	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404955	1000 P 408 300 CAL WT		40895401083	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404961	1000 P 408 300 CAL WT		40895401089	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404967	1000 P 408 300 CAL WT		40895401095	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404973	1000 P 408 300 CAL WT		40895401101	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404979	1000 P 408 300 CAL WT		40895401107	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404985	1000 P 408 300 CAL WT		40895401113	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404991	1000 P 408 300 CAL WT		40895401119	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895404997	1000 P 408 300 CAL WT		40895401125	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405003	1000 P 408 300 CAL WT		40895401131	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405009	1000 P 408 300 CAL WT		40895401137	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405015	1000 P 408 300 CAL WT		40895401143	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405021	1000 P 408 300 CAL WT		40895401149	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405027	1000 P 408 300 CAL WT		40895401155	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405033	1000 P 408 300 CAL WT		40895401161	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405039	1000 P 408 300 CAL WT		40895401167	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405045	1000 P 408 300 CAL WT		40895401173	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405051	1000 P 408 300 CAL WT		40895401179	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405057	1000 P 408 300 CAL WT		40895401185	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405063	1000 P 408 300 CAL WT		40895401191	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405069	1000 P 408 300 CAL WT		40895401197	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405075	1000 P 408 300 CAL WT		40895401203	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405081	1000 P 408 300 CAL WT		40895401209	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405087	1000 P 408 300 CAL WT		40895401215	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405093	1000 P 408 300 CAL WT		40895401221	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405099	1000 P 408 300 CAL WT		40895401227	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405105	1000 P 408 300 CAL WT		40895401233	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405111	1000 P 408 300 CAL WT		40895401239	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405117	1000 P 408 300 CAL WT		40895401245	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405123	1000 P 408 300 CAL WT		40895401251	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405129	1000 P 408 300 CAL WT		40895401257	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405135	1000 P 408 300 CAL WT		40895401263	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405141	1000 P 408 300 CAL WT		40895401269	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405147	1000 P 408 300 CAL WT		40895401275	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405153	1000 P 408 300 CAL WT		40895401281	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405159	1000 P 408 300 CAL WT		40895401287	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405165	1000 P 408 300 CAL WT		40895401293	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405171	1000 P 408 300 CAL WT		40895401299	1000 P 408 300 CAL WT
			40895403166	1000 P 408 300 CAL WT				40895405177	1000 P 408 300 CAL WT		40895401305	1000 P 408 300 CAL WT

– For Guarantee see www.ledvance.com/guarantee

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.